

Manufactured by: Camden Group Subject to Camden Group Terms and Conditions. Copyright © 2012 Camden Group

> Units 4-7 Steeple Road Industrial Estate, Antrim, Co.Antrim, Northern Ireland, BT41 1AB

From UK: Tel: 028 9446 2419 Fax: 028 9442 8138

From ROI: Tel: 048 9446 2419 Fax: 048 9446 4002

Email: info@camdengroup.co.uk Web: www.camdengroup.co.uk

All specifications correct at time of print. Camden Group reserves the right to change brochure content without prior notice. All panel and glass designs are copyright to Camden Group. Due to the handcrafted glass techniques and photographic lighting, actual designs and colours may vary from images shown. Images for illustration purposes only and may differ from product supplied

KM-Aug2012-v7

	Supplier Details:	
I		I

Doors by Design

Panel Door Features

Panel Door Range





Cream

Black



A00 Brussels







A1F Brussels

A1L Brussels











A1P Brussels







A1S Brussels

B1P Rome





B2P Rome





A2P Brussels

B00 *Rome*















C1G Dublin



C2B2 Dublin

C2F1 Dublin

C2P Dublin

C2S1 Dublin



C2S Dublin



D1B Prague











D1F1 Prague









D1P Prague



F1B3 Athens















G1C2 Copenhagen

F1F2 Athens

F1G Athens

F1P Athens





G1B1 Copenhagen



G1G Copenhagen







-

H1F Paris

G1P Copenhagen







H1F2 Paris



H1G Paris











K1F3 Amsterdam



K1B1 Amsterdam









L1B3 Madrid

L1F3 Madrid

Q1B1 Cairo









Q1F2 Cairo



Q1F Cairo



V1G Vienna



Monaco Half - P97 (975mm) & P70 (700mm) Full - P19 (1950mm) & P21 (2100mm)

Newry Half - R97 (975mm) Full - R19 (1950mm)

V1B1 Vienna

V1B2 Vienna



V1S1 Vienna





Milan Half - M97 (975mm) Full - M19 (1950mm)



Oslo Half - N97 (975mm) Full - N19 (1950mm)

Additonal Options

Technical Information



Additional Ordering Information:

- Glass designs are available as sidelights and fanlights. Glass units are toughened on both sides
- Letterbox unavailable with "H" panels that are under 1760mm
- Extra charges may apply to: reinforcing, door hardware/locks, stormguard threshold, 20mm/28mm/40mm panels
- Please use warm water and washing-up liquid to clean frames and glass; refrain from using chemicals or solvents



19